

货物运输检测报告
Cargo Transportation Test Report

普通货物

样品名称 (Samples)	锌锰电池 R03 Zinc-Manganese Battery R03
委托单位 (Client)	深圳市冠力达电子有限公司 Shenzhen Guanlida Electronics Co., Ltd
生产单位 (Manufacturer)	深圳市冠力达电子有限公司 Shenzhen Guanlida Electronics Co., Ltd





Pony Testing International Group

Report ID : E07203022711D Page 1 of 5

货物运输检测报告

Cargo Transportation Test Report

样品名称 Name & Model	锌锰电池 R03 Zinc-Manganese Battery R03		
委托单位 Applicant	深圳市冠力达电子有限公司 Shenzhen Guanlida Electronics Co., Ltd		
公司地址 Address	深圳市宝安区西乡街道 62 区安圣工业城四楼 Baoan District Of Shenzhen City Xixiang Street, 62 District, Ansheng Industrial City On The Fourth Floor.		
样品外观及性状 Appearance & Odor	成份: 锌壳 33.58%, 电解锰 23.92%, 去离子水 15.43%等。 Composition: Zinc Shell 33.58%, Electrolytic Manganese 23.92%, Deionized Water 15.43%, etc.		
货物主要危险性 Main Hazards	化学物质包含在密封电池外壳内。当电池机械破损时会产生危害。遇火会引起爆炸。 These chemicals are contained in a sealed can. Risk of exposure occurs only if the battery is mechanically or electrically abused. If in fire, battery may cause to explode.		
接样日期 Accepting Date	2011 年 7 月 20 日	签发日期 Issue Date	2011 年 7 月 22 日
检测结果(Conclusion)			
<p>1、危险性识别(Hazard identification):</p> <p>无显著危险性。 No significant hazard.</p> <p>2、建议比照办理的类项和编号(Suggestion according to IMDG):</p> <p>可按普通货物条件办理。 The goods are not subject to IMDG.</p>			

本检测单位保证检测的客观公正性, 并对委托单位的商业秘密履行保密义务; 委托单位对样品的代表性和资料的真实性负责, 本检测单位仅对样品负责, 委托单位对于检测结果的使用、使用所产生的直接或间接损失及一切法律后果, 本检测单位不承担任何经济和法律责任; 本《检测报告》如无PONY专用章和批准人签字或被复制, 则无效; 任何对本《检测报告》未经授权的部分或全部转载、篡改、伪造或复制行为都是违法的, 将被追究民事、行政甚至刑事责任。

防伪说明: (1)《检测报告》的报告编号是唯一的, 即每一个报告编号仅对应唯一的《检测报告》;
(2)《检测报告》采用特制防伪纸张印制, 纸张表面带有“PONY”防伪纹路, 该防伪纹路不支持复印, 即复制件不会带有“PONY”防伪纹路;
(3)《检测报告》采用的防伪纸张内部亦加带有高科技“PONY”防伪水印, 只有在验钞机等紫外线照射下方可显出无色荧光防伪字样;
(4)《检测报告》所盖防伪骑缝章中的一部分加盖于本检测单位的留底报告上, 《检测报告》与本检测单位留底报告的骑缝章应拼合完整无缺。

Pony Testing International Group	www.ponytest.com	☎Hotline 400-819-5688		
	Add: Yingzhi Building, No.49-3, Suzhou Road, Haidian District, Beijing	Building 35, No.680, Guiping Road, Xuhui District, Shanghai	Building 601 Zhongxing Industry City, Chuangye Road, Nanshan District, Shenzhen	
	Tel: (010)82618116	(021)64851999	(0755)26050909	No.2-1, Keyuan Wei Road 3, Hi-tech Park, Laoshan District, Qingdao
	Fax: (010)82619629	(021)64856403	(0755)26068336	(0532)88706866
	E-mail: pony@ponytest.com	csh@ponytest.com	sz@ponytest.com	(0532)88706877 qd@ponytest.com



Pony Testing International Group

货物运输检测报告

Cargo Transportation Test Report

3、包装要求(Packaging requirements):

按普通货包装要求办理。

The goods are packaged according to the packaging requirement of ordinary goods.

检测依据 Criteria	1) 《联合国危险货物运输的建议书规章范本》; 2) 《国际海运危险货物规则》。 1) <<Recommendations On The Transport Of Dangerous Goods-Model Regulations>>; 2) << International Maritime Dangerous Goods >>.
备注 Remark	适用于海运。 Be applicable to transport by sea.

编制人 : 陈敏
(Edited by)

审核人 : 汪志敏
(Checked by)

批准人 :
(Approved by)

本检测单位保证检测的客观公正性, 并对委托单位的商业秘密履行保密义务; 委托单位对样品的代表性和资料的真实性负责, 本检测单位仅对样品负责, 委托单位对于检测结果的使用、使用所产生的直接或间接损失及一切法律后果, 本检测单位不承担任何经济和法律责任; 本《检测报告》如无PONY专用章和批准人签字或被复制, 则无效; 任何对本《检测报告》未经授权的部分或全部转载、篡改、伪造或复制行为都是违法的, 将被追究民事、行政甚至刑事责任。

防伪说明: (1)《检测报告》的报告编号是唯一的, 即每一个报告编号仅对应唯一的《检测报告》;
(2)《检测报告》采用特制防伪纸张印制, 纸张表面带有“PONY”防伪纹路, 该防伪纹路不支持复印, 即复制件不会带有“PONY”防伪纹路;
(3)《检测报告》采用的防伪纸张内部亦加带有高科技“PONY”防伪水印, 只有在验钞机等紫外线照射下方可显出无色荧光防伪字样;
(4)《检测报告》所盖防伪骑缝章中的一部分加盖于本检测单位的留底报告上, 《检测报告》与本检测单位留底报告的骑缝章应拼合完整无缺。



Pony Testing International Group

货物运输检测报告

Cargo Transportation Test Report

项目 Item	检测结果 Conclusion
爆炸危险性 Explosive Danger	资料和成份结构显示不属于爆炸品。 The data and components structure indicate the article does not belong to explosive.
易燃危险性 Flammable Danger	不属于易燃类物质。 It does not belong to flammability substance.
氧化危险性 Oxidizing Danger	不能加速纤维素的燃烧, 不属于氧化性物质。 The screening tests indicate the article does not belong to oxidizing solid because it can not make fibrin accelerate burning rate.
毒害危险性 Toxic Danger	口服毒性小, 不属于毒性物质。 The oral toxicity is low, so it does not belong to toxic article.
放射危险性 Radioactive Danger	资料显示无放射性危害。 The data indicates the article has no radioactivity.
腐蚀危险性 Corrosive Danger	对碳钢、铝金属无腐蚀性, 不属于腐蚀性物质。 The article can not corrupt steel, aluminum, so it has no corrosive.
其它危险性 Other Danger	正常使用下, 无刺激性、麻醉性及其它危险性。 In normal situation, no narcotic, irritating and other hazards.

本检测单位保证检测的客观公正性, 并对委托单位的商业秘密履行保密义务; 委托单位对样品的代表性和资料的真实性负责, 本检测单位仅对样品负责, 委托单位对于检测结果的使用、使用所产生的直接或间接损失及一切法律后果, 本检测单位不承担任何经济和法律责任; 本《检测报告》如无PONY专用章和批准人签字或被复制, 则无效; 任何对本《检测报告》未经授权的部分或全部转载、篡改、伪造或复制行为都是违法的, 将被追究民事、行政甚至刑事责任。

防伪说明: (1)《检测报告》的报告编号是唯一的, 即每一个报告编号仅对应唯一的《检测报告》;
(2)《检测报告》采用特制防伪纸张印制, 纸张表面带有“PONY”防伪纹路, 该防伪纹路不支持复印, 即复制件不会带有“PONY”防伪纹路;
(3)《检测报告》采用的防伪纸张内部亦加带有高科技“PONY”防伪水印, 只有在验钞机等紫外线照射下方可显出无色荧光防伪字样;
(4)《检测报告》所盖防伪骑缝章中的一部分加盖于本检测单位的留底报告上, 《检测报告》与本检测单位留底报告的骑缝章应拼合完整无缺。

www.ponytest.com ☎Hotline 400-819-5688

Add: YingzhilBuilding, No.49-3, Suzhou Road, Haidian District, Beijing Building 35, No.680, Guiping Road, Xuhui District, Shanghai Building 60 of Zhongxing Industry City, Nanshan District, Shenzhen No.2-1, Keyuan Wei Road 3, Hi-tech Park, Laoshan District, Qingdao
Tel: (010)82618116 (021)64851999 (0755)26050909 (0532)88706866
Fax: (010)82619629 (021)64856403 (0755)26068336 (0532)88706877
E-mail: pony@ponytest.com esh@ponytest.com sz@ponytest.com qd@ponytest.com



Pony Testing International Group

图片 (Photo):



仅对原报告照片中的样品负责

Authenticate the photo on original report only

本检测单位保证检测的客观公正性，并对委托单位的商业秘密履行保密义务；委托单位对样品的代表性和资料的真实性负责，本检测单位仅对样品负责，委托单位对于检测结果的使用、使用所产生的直接或间接损失及一切法律后果，本检测单位不承担任何经济和法律后果，本《检测报告》如无PONY专用章和批准人签字或被复制，则无效；任何对本《检测报告》未经授权的部分或全部转载、篡改、伪造或复制行为都是违法的，将被追究民事、行政甚至刑事责任。

防伪说明：(1)《检测报告》的报告编号是唯一的，即每一个报告编号仅对应唯一的《检测报告》；

(2)《检测报告》采用特制防伪纸张印制，纸张表面带有“PONY”防伪纹路，该防伪纹路不支持复印，即复制件不会带有“PONY”防伪纹路；

(3)《检测报告》采用的防伪纸张内部亦加带有高科技“PONY”防伪水印，只有在验钞机等紫外线照射下方可见无色荧光防伪字样；

(4)《检测报告》所盖防伪骑缝章中的一部分加盖于本检测单位的留底报告上，《检测报告》与本检测单位留底报告的骑缝章应拼合完整无缺。

www.ponytest.com ☎Hotline 400-819-5688

Add: YingzhiBuilding, No.49-3, Suzhou Road, Haidian District, Beijing	Building35, No.680, Guiping Road, Xuhui District, Shanghai	Building6 of Zhongxing Industry City, Chuangye Road, Nanshan District, Shenzhen	No.2-1, Keyuan Wei Road 3, Hi-tech Park, Laoshan District, Qingdao
Tel: (010)82618116	(021)64851999	(0755)26050909	(0532)88706866
Fax: (010)82619629	(021)64856403	(0755)26068336	(0532)88706877
E-mail: pony@ponytest.com	cs@ponytest.com	sz@ponytest.com	qd@ponytest.com



Pony Testing International Group

声 明

Statement

1. 本《检测报告》依据本年度《国际海运危险货物规则》、委托人（托运人或代理人）提供的物品及其运输信息出具。
This report is issued according to 《International Maritime Dangerous Goods》 published in the current year, the information of the goods and its shipment provided by the applicant (shipper or his agent).
2. 本《检测报告》的检测结论仅对所检样品负责。
The conclusion of this report is only responsible for the tested sample.
3. 客户必须如实提供样品及资料，并保证申报品名和样品以及运输货物相同，否则本检测单位不承担任何相关责任。
The client should provide samples and relevant data, at the same time, they should guarantee the consistence of the product's name they declared, the samples they provided and the goods to be transported. Otherwise we will not bear any relevant responsibilities.
4. 本《检测报告》经检测人、审核人、批准人签字并加盖印章后生效。
This report will be effective only after it is signed by the preparer, checker and approver, and stamped by the testing center.
5. 本《检测报告》不得全部或部分复制，复制无效。本检测报告私自转让、复制、盗用、冒用、涂改、或以任何媒体形式篡改的均属无效，本检测单位将对上述行为追究其相应的法律责任。
The report can not be copied wholly or partly, the copied report is invalid. The report is invalid when anything of the following happens-illegal transfer, reproduction, embezzlement, imposture, modification or tampering in any media form.
6. 本《检测报告》不考虑国家及经营人差异。
The report takes no account of the state and operator variations.
7. 本《检测报告》当年有效。特殊情况参见报告备注。
The report is only valid in the year subscribed on it. Please refer to comment of report on special occasion.
8. 检测结果中的运输方式应与货物的运输方式相一致，不同的运输方式，检测结果可能会有差异。
The transportation way of goods should be the same as the way in the report because different transportation way may have different conclusion.

本检测单位保证检测的客观公正性，并对委托单位的商业秘密履行保密义务；委托单位对样品的代表性和资料的真实性负责，本检测单位仅对样品负责，委托单位对于检测结果的使用、使用所产生的直接或间接损失及一切法律后果，本检测单位不承担任何经济和法律责任；本《检测报告》如无PONY专用章和批准人签字或被复制，则无效；任何对本《检测报告》未经授权的部分或全部转载、篡改、伪造或复制行为都是违法的，将被追究民事、行政甚至刑事责任。

防伪说明：(1)《检测报告》的报告编号是唯一的，即每一个报告编号仅对应唯一的《检测报告》；
(2)《检测报告》采用特制防伪纸张印制，纸张表面带有“PONY”防伪纹路，该防伪纹路不支持复印，即复制件不会带有“PONY”防伪纹路；
(3)《检测报告》采用的防伪纸张内部亦加带有高科技“PONY”防伪水印，只有在验钞机等紫外线照射下方可显出无色荧光防伪字样；
(4)《检测报告》所盖防伪骑缝章中的一部分加盖于本检测单位的留底报告上，《检测报告》与本检测单位留底报告的骑缝章应拼合完整无缺。